UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagelok Company							
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139-3492 (See A							
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all flan valves	British Standards Institution						
9 Expansion joints, flexible connections, and hope percentilized all a	1. A						
E. Strainers, filters, separators, and steam traps F. Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters.							
G Certified capacity-rated pressure relief devices acceptable as primery over pressure protection on bollers, pressure vessets, piping and fusible plugs							
A Pressure retaining components that do not fall into one of the above retained							
In Nuclear components; Class 1 □ Class 2 □ Class 3 □ (Meeting AECD as ACM)	[
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION						
Q	FORGED WELDED WROUGHT ST						
C)MUU6/UK	DESCRIBE OTHER:						
_ O hagolok							
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE RE	GISTEDED.						
ISO 9001:2008 Quality System Certificate, Support Documents, Attachment B, Catalog Information							
State of the state							
	į						
DECLARATION:							
1 David H. Peace (see note 3) employed by Swagelok Company and beli	20 the payers begin full and an						
1 David H. Peace (1900 moles) employed by Swagelok Company and being the person having full authority and responsibility for the quality of the end product do solennily declare that the information contained in this form is true and to the best of temperature ratings, and identification markings are in accordance with the hard-loss, materials of construction, pressure							
temperature ratings, and identification markings are languaged. The universions, marenass	of construction, pressure						
or in part and has been vertical by The Buttleb OCA. J. The Buttleb OCA. J.	Int where fabrication occurs in whole						
or in part and has been verified by The British 8fandards institution—as being suitable for that purpose and I make this solemnic declaration conscientiously believing it to be true and knowing that it is of the same force and effect as if made until the same effect as if made un							
Signature of Declarer:	act as ir mada under parms sis as						
Declared before me at Calaba Rea							
7-12- 03E 1 11 18	SPATER						
	CIATERINA						
or Notary Public: (slop)							
(Affix Official scal to the righty Commission Expires: 03/06/2019							
This space for Regulatory Authority use	S. S						
This registration must be revalidated after ten (10) years from the date of	acceplances?						
CRN: 0C16922.5	Newforkidland						
	Läbrador						
FID#: 1214	Service NL						
Reg	Istered CC, 16922.50						
Notes:	1/1/						
All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration	Insering and inspection Septical						
i MANUS 480 DRS CODY OF SUDDOCHED documentation	istered by L. P.						
responsibility for the quality of the end product.	JNDER THE AUTHORITY OF THE						
4. Quality control programs shall be resubmitted for validation	PUBLIC SAFETY ĂCT AND						
	BOILER, PRESSURE VESSEL AND OMPRESSED GAS REGULATIONS						

Attachment A. Scope for Swagelok AFS Series Vall Valves (Category C)

This document represents the scope of the Swagelok AFS Series Ball Valves covered by this submission for CRN approval. The Swagelok AFS Series Ball Valves were designed and evaluated in accordance with ASME B31.1-2007 for unlisted components and ASME B31.3-2006 for unlisted components.

Summary Table

Product Description or Series	Main Pressure Bearing Component	Main Pressure Bearing Material (Standard)	Port Connections and Sizes	Maximum Rated Pressure		Design Code
				At ambient temperature	At maximum temperature	of Construction
AFS	Body	Stainless Steel (ASTM A479)	Swagelok Tube Fitting 3/8", 1/2", 12MM	6000 @ 100 °F	6000 @ 250 °F	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
			Swagelok Tube Fitting 3/4", 16MM	5800 @ 100 °F	5742 @ 250 °F	
			Swagelok Tube Fitting 1"	4700 @ 100 °F	4653 @ 250 °F	
			Female NPT 3/8", 1/2"	6000 @ 100 °F	6000 @ 250 °F	
			Female NPT 3/4"	5600 @ 100 °F	5532 @ 250 °F	
			Female ISO 1/2"	6000 @ 100 °F	6000 @ 250 °F	

Product Illustrations



Product Options:

Additional options and non-pressure boundary alterations that do not affect pressure-temperature ratings may be made available within the scope of this registration. Examples of these would include handle options, actuator options, etc.

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The AFS ball valve products are made at a Swagelok Company location in Solon, Ohio.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

• Alternate Fuel Service Ball Valve Catalog MS-02-303, R10